

Product Information

Pipa-Tabs

Piperazine dihydrochloride, 50 mg

Indications:

For the removal of ascarids (roundworms) in the following species: Dogs and Cats: *Toxocara canis*, *Toxocara cati* and *Toxascaris leonina*.

Advantages:

- Efficacious and safe to use in young puppies and kittens
- Available in two strengths
- Scored tablets for precise dosage
- Convenient, easy to administer

Dosage for Dogs and Cats:

The recommended piperazine dosage for dogs and cats is 25 mg piperazine base per pound body weight.

Pipa-Tabs, 50 mg; The initial dose is one tablet per 2 pounds (0.9 kilograms) body weight.

Administration:

A second dose should be administered after 10 days.

In heavily infested animals a third dose should be given after another 10 day interval. In thin and undernourished animals the dosage should be reduced to one-third (8 to 10 mg per pound of body weight) and given daily for a three day period.

Dogs and cats may be wormed at 6 to 8 weeks of age.

Ingredients: Each tablet contains either
Piperazine base.....50 mg
Equivalent to 94.4 mg piperazine dihydrochloride

Precautions:

Although piperazine is a drug with a high degree of safety, an occasional animal may show nausea, hypersalivation, vomiting, muscular tremors or ataxia; therefore, the recommended dosage should be followed carefully. Piperazine is contraindicated in animals with chronic liver or kidney disease or in animals with GI hypomotility.

Caution:

Consult a veterinarian before using in severely debilitated animals.

HOW SUPPLIED:

Pipa-Tabs, 50 mg
500 Tablet Bottles

Kaeco Group, Inc.

P.O. Box 89 • Savannah, MO 64485-0089 • 816-324-5228 • Out State Watts: 800-228-1211 • Fax: 816-324-6279